

**BEST AVAILABLE COPY**PATENT  
450106-02645**IN THE CLAIMS:**

Please amend the Claims as follows:

1. (previously presented) A transmitting apparatus for transmitting data to a receiving apparatus, comprising:

receiving means for receiving control information transmitted from the receiving apparatus, the control information containing a particular point of the data;

controlling means for improving the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution in another one or more of the temporal direction, the spatial direction and the level direction corresponding to the control information containing the particular point of the data; and

transmitting means for transmitting the data, of which the resolutions have been controlled corresponding to the control information, to the receiving apparatus.

2. (original) The transmitting apparatus as set forth in claim 1,

wherein said controlling means controls the resolutions in the temporal direction and the spatial direction of the picture data transmitted to the receiving apparatus corresponding to the control information.

3. (previously presented) The transmitting apparatus as set forth in claim 2,

wherein said transmitting means transmits the data to the receiving apparatus through a predetermined transmission path at a predetermined transmission rate, and

PATENT  
450106-02645

wherein said controlling means controls the resolutions of the data corresponding to the control information so that the transmission rate of the data does not exceed the predetermined transmission rate.

4. (canceled)

5. (previously presented) The transmitting apparatus as set forth in claim 3,

wherein said transmitting means transmits picture data to the receiving apparatus through a predetermined transmission path at a predetermined transmission rate,

wherein the receiving apparatus displays the picture data transmitted from said transmitting means,

wherein the control information contains a temporal and special position of the picture data displayed by the receiving apparatus, and

wherein said controlling means improves the spatial resolution of a considered area that contains the temporal and spatial position of the picture data and deteriorates the temporal resolution corresponding to the control information so that the transmission rate of the picture data does not exceed the predetermined transmission rate.

6. (original) The transmitting apparatus as set forth in claim 5, further comprising:

background picture data extracting means for extracting background picture data from the picture data transmitted to the receiving apparatus,

PATENT  
450106-02645

wherein said controlling means improves the spatial resolution of the background picture data when the temporal and spatial position contained in the control information represents the background picture data.

7. (original) The transmitting apparatus as set forth in claim 6, further comprising:

object picture data extracting means for extracting object picture data from the picture data corresponding to the difference between the picture data and the background picture data transmitted to the receiving apparatus,

wherein said controlling means improves the spatial resolution of the object picture data when the temporal and spatial position contained in the control information represents the object picture data.

8. (original) The transmitting apparatus as set forth in claim 7, further comprising:

combining means for combining the background picture data and the object picture as combined data,

wherein said transmitting means transmits the combined data to the receiving apparatus.

9. (original) The transmitting apparatus as set forth in claim 1, further comprising:

inputting means for inputting the data.

10. (original) The transmitting apparatus as set forth in claim 9,

wherein the data is picture data, and

00275326

4

PATENT  
450106-02645

wherein said inputting means is photographing means for photographing a picture and outputting the picture data.

11. (original) The transmitting apparatus as set forth in claim 1,  
wherein the transmitting apparatus is a portable telephone.

12. (original) The transmitting apparatus as set forth in claim 1, further comprising:  
analyzing means for analyzing the preferences of the user of the receiving apparatus,  
wherein said controlling means controls the resolutions of the data corresponding to the analyzed result of said analyzing means.

13. (original) The transmitting apparatus as set forth in claim 12,  
wherein the receiving apparatus outputs the data transmitted from said transmitting means,  
wherein said controlling means contains a considered point of the data that is output to the receiving apparatus, and  
wherein said analyzing means analyzes the preferences of the user corresponding to the considered point.

14. (original) The transmitting apparatus as set forth in claim 13,  
wherein said analyzing means has:

PATENT  
450106-02645

feature amount extracting means for extracting a feature amount of a considered area that contains a considered point of the data; and

area detecting means for detecting a predetermined area corresponding to the preference of the user from the data corresponding to the feature amount, and

wherein said controlling means controls the resolutions of the predetermined area of the data.

15. (original) The transmitting apparatus as set forth in claim 14, further comprising:

histogram storing means for storing a histogram of the feature amount,

wherein said area detecting means detects the predetermined area corresponding to the histogram.

16. (original) The transmitting apparatus as set forth in claim 14,

wherein said transmitting means transmits picture data to the receiving apparatus through a predetermined transmission path at a predetermined transmission rate,

wherein the receiving apparatus displays the picture data transmitted from said transmitting means, and

wherein said controlling means improves the spatial resolution of the predetermined area of the picture data and deteriorates the temporal resolution so that the transmission rate of the picture data does not exceed the predetermined transmission rate.

17. (original) The transmitting apparatus as set forth in claim 15,

PATENT  
450106-02645

wherein said area detecting means detects an area having the same as or similar to the feature amount with the largest frequency of the histogram as the predetermined area.

18. (original) The transmitting apparatus as set forth in claim 17,

wherein said transmitting means transmits picture data to the receiving apparatus through a predetermined transmission path at a predetermined transmission rate,

wherein the receiving apparatus displays the picture data transmitted from said transmitting means, and

wherein said controlling means improves the spatial resolution of the predetermined area of the picture data and deteriorates the temporal resolution so that the transmission rate of the picture data does not exceed the predetermined transmission rate.

19. (original) The transmitting apparatus as set forth in claim 16,

wherein said feature amount extracting means extracts at least one of motion information, depth information, position information, color information, and shape information of a considered area that contains the considered point of the picture data as the feature amount.

20. (original) The transmitting apparatus as set forth in claim 19,

wherein said feature amount extracting means extracts a plurality of motion information, depth information, position information, color information, and shape information of a considered area that contains the considered point of the picture data as a plurality of feature amounts, and generates a feature amount vector composed of the plurality of feature amounts.

PATENT  
450106-02645

21. (original) The transmitting apparatus as set forth in claim 13,

wherein said analyzing means has:

categorizing means for categorizing the data corresponding to a considered area that contains the considered point of the data,

wherein said analyzing means analyzes the preference of the user corresponding to the analyzed result of said categorizing means.

22-37 (canceled)

38. (original) The transmitting apparatus as set forth in claim 2,

wherein the picture data is object encoded.

39. (previously presented) A receiving apparatus for receiving data transmitted from a transmitting apparatus, comprising:

outputting means for outputting the received data;

transmitting means for transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

PATENT  
450106-02645

receiving means for receiving the data transmitted from the transmitting apparatus, the resolutions of the data having been controlled corresponding to the control information.

40. (original) The receiving apparatus as set forth in claim 39,  
wherein the data is picture data, and  
wherein said outputting means is displaying means for displaying the picture data.

41. (original) The receiving apparatus as set forth in claim 40, further comprising:  
considered point detecting means for detecting a considered point of the user from the picture data displayed by said displaying means,  
wherein said transmitting means transmits the considered point as the control information to the transmitting apparatus.

42. (original) The receiving apparatus as set forth in claim 41,  
wherein said considered point detecting means detects the position designated by said designating means as the considered point.

43. (original) The receiving apparatus as set forth in claim 40, further comprising:  
picture data storing means for storing picture data received by said receiving means; and  
controlling means for causing picture data stored in said picture data storing means to be displayed by said displaying means when the resolutions of the picture data stored in



PATENT  
450106-02645

said picture data storing means are higher than the resolutions of the picture data received by said receiving means.

44. (original) The receiving apparatus as set forth in claim 43,

wherein said controlling means causes the picture data received by said receiving means to be overwritten to said picture data storing means the picture data received by said receiving means to be displayed by said displaying means when the resolutions of the picture data stored in said picture data storing means are lower than the resolutions of the picture data received by said receiving means, the picture data stored in said picture data storing means corresponding to the picture data received by said receiving means.

45. (canceled)

46. (previously presented) A transmitting and receiving apparatus having a transmitting apparatus for transmitting data and a receiving apparatus for receiving the data,

wherein the transmitting apparatus comprises:

receiving means for receiving control information transmitted from the receiving apparatus, the control information containing a particular point of the data;

controlling means for improving the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution in at least one of the rest of those directions corresponding to the control information containing the particular point of the data; and

PATENT  
450106-02645

transmitting means for transmitting the data of which the resolutions have been controlled corresponding to the control information to the receiving apparatus, and

wherein the receiving apparatus comprises:

outputting means for outputting the received data;

transmitting means for transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

receiving means for receiving the data transmitted from the transmitting apparatus, the resolutions of the data having been controlled corresponding to the control information.

47. (canceled).

48. (currently amended) The transmitting apparatus as set forth in claim 47 46,

wherein the data is picture data,

wherein the receiving apparatus displays the picture data transmitted from said transmitting means,

wherein the control information contains a considered point of picture data displayed by the receiving apparatus, and

PATENT  
450106-02645

wherein said categorizing means categorizes the picture data corresponding to a considered area that contains the considered point of the picture data.

49-64 (canceled).

65. (original) The transmitting apparatus as set forth in claim 48,  
wherein the picture data is object encoded.

66. (previously presented) A transmitting method for transmitting data to a receiving apparatus,  
comprising the steps of:

receiving control information transmitted from the receiving apparatus, the control  
information containing a particular point of the data;

improving the resolution in at least one of the temporal direction, the spatial  
direction, and the level direction of a particular area containing the particular point of the data  
transmitted to the receiving apparatus and deteriorating the resolution in at least another one or  
more of the temporal direction, the spatial direction, and the level direction corresponding to the  
control information containing the particular point of the data; and

transmitting the data of which the resolutions have been controlled corresponding  
to the control information to the receiving apparatus.

67. (previously presented) A receiving method for receiving data transmitted from a transmitting  
apparatus, comprising the steps of:

outputting the received data;

PATENT  
450106-02645

transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in at least another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

receiving the data transmitted from the transmitting apparatus, the resolutions of the data having been controlled corresponding to the control information.

68. (previously presented) A transmitting and receiving method having a process of a transmitting apparatus for transmitting data and a process of a receiving apparatus for receiving the data,

wherein the process of the transmitting apparatus comprises the steps of:

receiving control information transmitted from the receiving apparatus, the control information containing a particular point of the data,

improving resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution in another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information containing the particular point of the data; and

transmitting the data, of which the resolutions have been controlled corresponding to the control information, to the receiving apparatus, and

00275326

-13-

PATENT  
450106-02645

wherein the process of the receiving apparatus comprises the steps of:

outputting the received data;

transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in at least another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

receiving the data transmitted from the transmitting apparatus, the resolutions of the data having been controlled corresponding to the control information.

69. (canceled).

70. (previously presented) A record medium for recording a program that causes a computer to perform a transmitting process for transmitting data to a receiving apparatus, the transmitting process comprising the steps of:

receiving control information transmitted from the receiving apparatus, the control information containing a particular point of the data;

improving the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution in another one or more of

PATENT  
450106-02645

the temporal direction, the spatial direction, and the level direction corresponding to the control information containing the particular point of the data; and

transmitting the data, of which the resolutions have been controlled corresponding to the control information, to the receiving apparatus.

71. (previously presented) A record medium for recording a program that causes a computer to perform a receiving process for receiving data transmitted from a transmitting apparatus, the receiving process comprising the steps of:

outputting the received data;

transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

receiving the data transmitted from the transmitting apparatus, the resolutions of the data having been controlled corresponding to the control information.

72. (previously presented) A record medium for recording a program that causes a computer to perform a transmitting process of a transmitting apparatus for transmitting data and a receiving process of a receiving apparatus for receiving the data,

PATENT  
450106-02645

wherein the transmitting process of the transmitting apparatus comprises the steps of:

receiving control information transmitted from the receiving apparatus, the control information containing a particular point of data;

improving resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution of another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

transmitting the data of which the resolutions have been controlled corresponding to the control information to the receiving apparatus; and

wherein the receiving process of the receiving apparatus comprises the steps of:  
outputting the received data;

transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in at least another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

receiving the data transmitted from the transmitting apparatus, the resolutions of the data having been controlled corresponding to the control information.

PATENT  
450106-02645

73. (canceled).

74. (previously presented) A signal for containing a program that causes a computer to perform a transmitting process for transmitting data to a receiving apparatus, the transmitting process comprising the steps of:

receiving control information transmitted from the receiving apparatus, the control information containing a particular point of the data;

improving the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information containing the particular point of the data; and

transmitting the data of which the resolutions have been controlled corresponding to the control information to the receiving apparatus.

75. (previously presented) A signal for containing a program that causes a computer to perform a receiving process for receiving data transmitted from a transmitting apparatus, the receiving process comprising the steps of

outputting the received data;

transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in another one or more of the temporal



PATENT  
450106-02645

direction, the spatial direction, and the level direction corresponding to the control information;  
and

receiving the data transmitted from the transmitting apparatus, the resolutions of  
the data having been controlled corresponding to the control information.

76. (previously presented) A signal for containing a program that causes a computer to perform  
a transmitting process of a transmitting apparatus for transmitting data and a receiving process of  
a receiving apparatus for receiving the data

wherein the transmitting process of the transmitting apparatus comprises the steps  
of:

receiving control information transmitted from the receiving apparatus, the control  
information containing a particular point of the data;

improving the resolution in at least one of the temporal direction, the spatial  
direction, and the level direction of a particular area containing the particular point of the data  
transmitted to the receiving apparatus and deteriorating the resolution in another one or more of  
the temporal direction, the spatial direction, and the level direction corresponding to the control  
information containing the particular point of the data; and

transmitting the data, of which the resolutions have been controlled corresponding  
to the control information, to the receiving apparatus, and

wherein the receiving process of the receiving apparatus comprises the steps of:

outputting the received data.

PATENT  
450106-02645

transmitting control information containing a particular point of the data, which has been output, to the transmitting apparatus that improves the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data and deteriorates the resolution in another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information; and

receiving the data transmitted from the transmitting apparatus, the resolutions of the data having been controlled corresponding to the control information.

77. (canceled)

78. (previously presented ) A mobile transmitting apparatus for transmitting data to a receiving apparatus, comprising:

receiving means for receiving control information transmitted from the receiving apparatus, the control information containing a particular point of the data;

controlling means for improving the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution in another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information containing the particular point of the data; and

transmitting means for transmitting the data of which the resolutions have been controlled corresponding to the control information in the receiving apparatus.

PATENT  
450106-02645

79. (previously presented) A mobile transmitting apparatus for transmitting data to a receiving apparatus, comprising:

receiving means for receiving control information transmitted from the receiving apparatus, the control information containing a particular point of the data;

controlling means for improving the resolution in at least one of the temporal direction, the spatial direction, and the level direction of a particular area containing the particular point of the data transmitted to the receiving apparatus and deteriorating the resolution in another one or more of the temporal direction, the spatial direction, and the level direction corresponding to the control information containing the particular point of the data; and

transmitting means for prioritizing transmitting the data of the particular area of which the resolutions have been controlled corresponding to the control information in the receiving apparatus.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**